



Fully Nonlinear Models of Wave Transformation in Coastal Areas

Stéphan T. Grilli

Dept. Ocean Engineering, University of Rhode Island, USA

Fully nonlinear two-dimensional (2D) and three-dimensional (3D) models of ocean wave generation and propagation, i.e., so-called “Numerical Wave Tanks” (NWT), have recently become powerful tools for engineering design and scientific research in coastal and littoral processes. NWTs are now used to carry out many investigations for which, until recently, only physical laboratory wave tanks could be used. Despite their necessary idealization of actual problems, NWTs are often advantageous because of their rapid set-up time and use, and thus lower cost, as compared to laboratory experiments. This is particularly true if many configurations of the same problem are to be studied in order to identify the optimal geometry or siting of, say, an offshore or a coastal structure. Also, in many cases, NWTs provide unperturbed access to hydrodynamic wave parameters, such as pressure, velocity and acceleration, which often can only be measured in the laboratory using invasive gages and probes.

This keynote lecture will present an overview of the author’s own and collaborative recent experience in developing and applying NWTs, mostly based on potential flow theory. The coupling of such NWTs with VOF-based Navier-Stokes solver will also be briefly discussed. Specific applications will include : (i) shoaling and breaking of long-crested 2D swells over sandy beaches, with comparison to laboratory experiments (wave and particle velocity measurements); (ii) shoaling and plunging breaking of 3D waves with specific analysis of velocity and acceleration in the plunging jet; (iii) generation and propagation of waves (tsunamis) caused by submarine mass failure, with comparison with field case studies and laboratory experiments; and (iv) 3D wave energy focusing leading to freak waves formation.

Modélisation nonlinéaire des transformations des vagues en zone côtière

Les modèles bi- (2D) et tri-dimensionnels (3D) de génération et propagation de vagues océaniques, c-à-d, les “Canaux à Houle Numériques” (CHN) se sont récemment révélés être des outils très puissants au service des ingénieurs et chercheurs étudiant les processus côtiers et littoraux. Les CHNs sont à présent utilisés pour mener à bien de nombreuses investigations pour lesquelles, jusqu’à très récemment, seuls les bassins à houle de laboratoire pouvaient être utilisés. En dépit des limitations et approximations nécessaires à leur développement, les CHNs présentent souvent l’avantage de fournir une réponse rapide à ces problèmes, et donc d’être moins coûteux en temps et efforts, par comparaison avec les expériences de laboratoire. Ceci s’avère particulièrement si de nombreuses configurations du même problème doivent être étudiées afin d’identifier les valeurs optimales des paramètres géométriques du problème, et de la localisation de, par exemple, une plateforme offshore ou d’une structure de protection côtière. Dans de nombreux cas, les CHNs permettent également d’obtenir des valeurs non-perturbées des champs hydrodynamiques des vagues, tels que pression, vitesse et accélération, alors que

Guyenne, P., Grilli, S.T. and Dias, F. 2001 Numerical modeling of fully nonlinear 3D overturning waves over arbitrary bottom. In *Proc. 27th Intl. Conf. on Coastal Engineering* (ICCE27, Sidney, Australia, July 2000), 1-12.

Brandini, C. and S.T. Grilli. 2001 Evolution of three-dimensional unsteady wave modulations. *Proc. ROGUE WAVES 2000 Workshop* (Brest, France, November 2000).

Brandini, C. and S.T., Grilli 2001 Modeling of freak wave generation in a 3D-NWT. In *Proc. 11th Offshore and Polar Engng. Conf.* (ISOPE01, Stavanger, Norway, June 2001), Vol III, 124-131.

Grilli, S.T. and Watts, Ph. 2001 Modeling of tsunami generation by an underwater landslide in a 3D-NWT. In *Proc. 11th Offshore and Polar Engng. Conf.* (ISOPE01, Stavanger, Norway, June 2001), Vol III, 132-139.

Guignard, S. and S.T., Grilli. 2001 Modeling of shoaling and breaking waves in a 2D-NWT by using a spilling breaker model. *Proc. 11th Offshore and Polar Engng. Conf.* (ISOPE01, Stavanger, Norway, June 2001), Vol III, 116-123.

Watts, P., Borrero, J.C., Tappin, D.R., Bardet, J.-P., Grilli, S.T., and C.E., Synolakis 2001 Novel simulation technique employed on the 1998 Papua New Guinea Tsunami. Chapter in *Tsunami research at the End of a Critical Decade* (ed. G.T. Hebenstreit), 193-208. Kluwer Academic Publishers, Dordrecht, The Netherland.

Guignard, S. and S.T., Grilli 2002 Implementation and validation of a breaker model in a fully nonlinear wave propagation model. In *Proc. 4th Intl. Symp. on Ocean Wave Measurement and Analysis* (WAVES 2001, San Francisco, USA, Sept. 2001) 1,012-1,021, ASCE Publication.

Grilli, S.T., Vogelmann, S. and Watts, P. 2002 Landslide tsunami amplitude prediction in a numerical wave tank. In *Proc. 4th Intl. Symp. on Ocean Wave Measurement and Analysis* (WAVES 2001, San Francisco, USA, Sept. 2001) 1,495-1,504, ASCE Publication.

Watts, P., Imamura, F., Bengston, A. and Grilli, S.T. 2002 Benchmark cases for tsunamis generated by underwater landslides. In *Proc. 4th Intl. Symp. on Ocean Wave Measurement and Analysis* (WAVES 2001, San Francisco, USA, Sept. 2001) 1,505-1,514, ASCE Publication.

Guyenne, P., Grilli, S.T. and Dias, F. 2002 Three-dimensional numerical model for fully nonlinear waves over arbitrary bottom. In *Proc. 4th Intl. Symp. on Ocean Wave Measurement and Analysis* (WAVES 2001, San Francisco, USA, Sept. 2001) 1,072-1,081, ASCE Publication.

des mesures de laboratoires sont souvent entachées d'erreurs causées par les capteurs de mesure eux-mêmes.

Cette lecture spéciale présente un résumé des résultats obtenus récemment par le conférencier et ses collaborateurs concernant le développement et l'application de CHNs, principalement sur la base de la théorie potentielle. Le couplage de CHNs de ce genre avec des modèles VOF des équations de Navier-Stokes est également brièvement discuté. Les applications spécifiques présentées incluent : (i) la levée et le déferlement d'une houle 2D sur les plages sableuses, avec comparaison des résultats à des expériences de laboratoire (élévation des vagues et vitesse des particules); (ii) levée et déferlement plongeant de vagues 3D avec une analyse des vitesses et accélérations dans le jet déferlant; (iii) génération et propagation de vagues (tsunamis) causées par des glissements de terrain sous-marins; et (iv) focalisation 3D de l'énergie, conduisant à la formation de vagues scélérates ("freak waves").

Recent references /Références récentes

(see <http://www.oce.uri.edu/~grilli> for pdf files of recent papers)

Guignard, S., Grilli, S.T., Marcer, R. and Rey, V. 1999 Computation of shoaling and breaking waves in nearshore areas by the coupling of BEM and VOF methods. *In Proc. 9th Offshore and Polar Engng. Conf.* (ISOPE99, Brest, France, May 1999), Vol. III, 304-309.

Grilli, S.T. and Horrillo, J. 1999 Shoaling of periodic waves over barred-beaches in a fully nonlinear numerical wave tank. *Intl. J. Offshore and Polar Engng.*, **9**(4), 257-263.

Grilli, S.T. and Watts, P. 1999 Modeling of waves generated by a moving submerged body. Applications to underwater landslides. *Engng. Analysis Boundary Elemt.*, **23**, 645-656.

Grilli, S.T., Guyenne, P. and Dias, F. 2000 Modeling of overturning waves over arbitrary bottom in a 3D numerical wave tank. *In Proc. 10th Offshore and Polar Engng. Conf.* (ISOPE00, Seattle, USA, May 2000), Vol. III, 221-228.

Brandini, C. and S.T. Grilli. 2000 On the Numerical Modeling of extreme Highly Nonlinear Deep Water Waves. *In Proc. IABEM 2000 Symp.* (Brescia, Italy, July 2000), 54-58.

Watts, P., Imamura, F., and Grilli, S.T. 2000 Comparing Model Simulations of Three Benchmark Tsunami Generation Cases. *J. Science Tsunami Hazards*, **18**(2), 107-123.

Grilli, S.T., Guyenne, P. and Dias, F. 2001 A fully nonlinear model for three-dimensional overturning waves over arbitrary bottom. *Intl. J. Num. Methods in Fluids*, **35**(7), 829-867.

Brandini, C. and Grilli, S.T. 2002 Three-dimensional wave focusing in fully nonlinear wave models. In *Proc. 4th Intl. Symp. on Ocean Wave Measurement and Analysis* (WAVES 2001, San Francisco, USA, Sept. 2001) 1,102-1,111, ASCE Publication.

Grilli, S.T., Vogelmann, S. and Watts, P. 2002 Development of a 3D Numerical Wave Tank for modeling tsunami generation by underwater landslides. *Engng. Analysis Boundary Elemt.*, **26**(4), 301-313.

Watts, P. and Grilli, S.T. Tsunami generation by submarine mass failure Part I : Wavemaker models. *J. Waterway Port Coastal and Ocean Engineering* (submitted).

Watts, P., Grilli, S.T., Tappin, D.R., Fryer, G.J. and Kroenke, L.W. Tsunami generation by submarine mass failure Part II : Case studies. *J. Waterway Port Coastal and Ocean Engineering* (submitted).